ENVIRONMENTAL PRODUCT DECLARATION CARE INSTRUCTION



PRODUCT: Quickly

MODEL: Folding table, table top

Flexible, high pressure


laminate

DIMENSTIONS: Width 140 cm

Depth 70 cm Height 72 cm

MATERIAL	SPECIFICATION	Weight (gr)	%	Recycling instruction
Wood / Woodbased materials	Tabletop 25 mm poplar plywood with high pressure laminate, plastic edge.	11 200	61,70%	Energy extraction
Metal	Leg frames or T-leg frame: Steel tubing 30 mm. 5,200 g. Steel drawbars + mounting 520 g. Snap fittings 210 g. Fittings 160 g.	6 090	33,55%	Material recycling
Plastic	Polyethene floor protectors 32 g. Polyethene bushing. Attachment to leg frame 740 g.	772	4,25%	Material recycling
Adhesives	Adhesive for edge strip included in table top		0,00%	
Padding material			0,00%	
Upholstery			0,00%	
Surface treatment, wood			0,00%	
Surface treatment, metal (customer selected)	Powder coating/chromium plating.	50	0,28%	Material recycling
Other materials	Pinch protection and pile protection: Thermoplastic elastomere	40	0,22%	Energy extraction
Total weight		18 152	100,00%	
Packaging		2 400		Material recycling Energy extraction

Recycling of the product



LAMMHULTS

PRODUCTION PROCESS AND ENERGY CONSUMPTION

- There are no emissions to air, water or ground during the manufacturing of this product.
- Lammhults premises are heated with locally produced central heating.
- Lammhults uses eco-labeled electricity (hydropower).
- Lammhults pre-separate all waste material in our premises. 40% of the waste material is recycled, 60% is used for energy extraction.



PRODUCT LIFESPAN

- This piece of furniture is designed for a long life. Maintain the product according to the care instruction.
- Lammhults offers reconditioning and replacement of worn-out components.
- When the piece of furniture has served its time, the components can be separated and sent to material recycling or energy extraction.

ENVIRONMENTAL ASPECTS OF THIS PRODUCT

- All wood-based materials are traceable and comes from legal forestry.
- Formaldehyde emissions from fibreboard fulfil E1 Norm ENV 717-1.
- Chromium plating uses chrome III. The powder coating contains no substances of concern for health or environment.

CARE INSTRUCTION

CLEANING AND MAINTAINING LAMINATES

LIGHT SOILING - DAILY CLEANING

- Soak a clean cloth in water and all-purpose cleaner, soap or washing-up liquid.
- Wring out and wipe surface.
- Dry with a clean, dry cloth.

HEAVY SOILING - MAJOR CLEANING

- Remove loose dirt.
- Soak a clean cloth in water and all-purpose cleaner. Wring out.
- Put all-purpose cleaner on the damp cloth and wipe so that all the dirt is removed. On satin, interior and other surfaces with a directional surface structure, wipe lengthways.
- Soak a clean cloth in clean water, preferably with a little ethanol solution or window cleaning fluid in, and wipe.
- Wipe dry with a clean cloth.
- NB. Use a soft brush to clean structured surfaces that are heavily soiled.

CLEANING AND MAINTAINING CHROMATED OR POWDER COATED SURFACES

- Dampen a clean cloth with window cleaning fluid.
- Wipe the surface.
- Dry with a clean, dry cloth.

THIS PRODUCT IS TESTED ACCORDING TO FOLLOWING STANDARDS

- EN 12521 Furniture Strength, durability and safety requirements for domestic tables
- EN 12720 Furniture Assessment of surface resistance to cold liquids
- EN 12722 Furniture Assessment of surface resistance to dry heat
- SIS 83 91 17 Furniture and fittings for housing. Determination of surface resistance to scratches
- SIS 83 91 22 Furniture and fittings for housing. Determination of surface resistance to grease
- ANSI/BIFMA M7.1-2011 Standard Test Method for Determining VOC Emissions From Office Furniture Systems, Components and Seating

Lammhults develops and markets modern furniture of international design for companies with high demands on quality and design. We cooperate with some of the leading contemporary furniture designers. What we accomplish together shall be elegant, effective and eco-friendly. Lammhults is part of Lammhults Design Group.