

pola

light+

round



Model

POLA LIGHT

Version

R/4L Four legs Side Chair

**Description**

Stacking chair. Shell in polypropylene, with seat upholstered or fully upholstered. Available with four legs in chromed or lacquered powder coated steel.

Dimensions

POLA LIGHT R/4L - D 58 W 43 H 80 SH 46

Stackability

Yes / 10 pcs

Frame

4L Four legs, high resilient steel frame AISI 420, tube DIA14mm, thickness 2mm, polished curves.

CH Chrome plated.

LQ Powdercoated with polyester lacquer 5 gloss.

Shell/Top

Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Upholstery

FU fully upholstered on the shell.

SU seat upholstered on an additional plywood panel.

Foam density 65CM kg/m³ Elast high density. Thickness 12mm, flame retardant BS 5852.

Öko-tex certificate.

Gliders

Standard high density polyethylene TIPL, tiltable, suitable for hard floor or carpet and contract use.


Optional felt gliders TIFE for wooden floors.

Shell Colours


PWH White



PRL Light Grey



PGY Dark Grey



PBK Black



PAZ Azure



PGR Green




PRL Light Red

Frame Colours

V01 White



V10 Light Grey



V03 Dark Grey



V02 Black



V12 Azure



V13 Green



V11 Light Red



CH Chromed



4L Glider



SB PVC Glider

Model

POLA ROUND

Version

P/4L Four legs Armchair

**Description**

Armchair. Shell in polypropylene, with seat upholstered or fully upholstered. Available with four legs in chromed or lacquered powder coated steel.

Dimensions

POLA ROUND P/4L - D 58 W 57 H 80 SH

Stackability

No

Frame

4L Four legs, high resilient steel frame AISI 420, tube DIA14mm, thickness 2mm, polished curves.

CH Chrome plated.

LQ Powdercoated with polyester lacquer 5 gloss.

Shell/Top

Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Armrest

Armrests integrated in the shell.

Upholstery

FU fully upholstered on the shell.

SU seat upholstered on an additional plywood panel.

Foam density 65CM kg/m³ Elast high density. Thickness 12mm, flame retardant BS 5852.

Öko-tex certificate.

Gliders

Standard high density polyethylene TIPL, tiltable, suitable for hard floor or carpet and contract use.


Optional felt gliders TIFE for wooden floors.

Shell Colours


PWH White



PRL Light Grey



PGY Dark Grey



PBK Black



PGR Green




PRL Light Red

Frame Colours


V01 White



V10 Light Grey



V03 Dark Grey



V02 Black



V13 Green



V11 Light Red



CH Chromed



4L Glider



SB PVC Glider

Model

POLA LIGHT

Version

R/SB Sled Base Side Chair

**Description**

Stacking chair. Shell in polypropylene, with seat upholstered or fully upholstered. Sled base in chromed or lacquered powder coated steel.

Dimensions

POLA LIGHT R/SB - D 58 W 43 H 80 SH 46

Stackability

Yes / 10 pcs

Frame

SB Sled base, high resilient steel frame, rod DIA11mm, polished curves.

CH Chrome plated.

LQ Powdercoated with polyester lacquer 5 gloss with cataphoresis steel treatment.

Shell/Top

Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Upholstery

FU fully upholstered on the shell.

SU seat upholstered on an additional plywood panel.

Foam density 65CM kg/m³ Elast high density.

Thickness 12mm, flame retardant BS 5852.

Öko-tex certificate.

Gliders

Standard extruded PVC gliders, suitable for hard floor and contract use.

Shell Colours

PWH White



PRL Light Grey



PGY Dark Grey



PBK Black



PGR Green



PRL Light Red

Frame Colours


V01 White



V10 Light Grey



V03 Dark Grey



V02 Black



V13 Green



V11 Light Red



CH Chromed



4L Glider



SB PVC Glider

Model

POLA ROUND

Version

P/SB Sled Base Armchair

**Description**

Armchair. Shell in polypropylene, with seat upholstered or fully upholstered. Sled base in chromed or lacquered powder coated steel.

Dimensions

POLA ROUND P/SB - D 58 W 57 H 80 SH

Stackability

No

Frame

SB Sled base, high resilient steel frame, rod DIA11mm, polished curves.

CH Chrome plated.

LQ Powdercoated with polyester lacquer 5 gloss with cataphoresis steel treatment.

Shell/Top

Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Armrest

Armrests integrated in the shell.

Upholstery

FU fully upholstered on the shell.

SU seat upholstered on an additional plywood panel.

Foam density 65CM kg/m³ Elast high density. Thickness 12mm, flame retardant BS 5852.

Öko-tex certificate.

Gliders


Standard extruded PVC gliders, suitable for hard floor and contract use.

Shell Colours


PWH White



PRL Light Grey



PGY Dark Grey



PBK Black




PGR Green



PRL Light Red

Frame Colours


V01 White



V10 Light Grey



V03 Dark Grey



V02 Black



V13 Green



V11 Light Red



CH Chromed



4L Glider



SB PVC Glider

Model

POLA LIGHT

Version

R/4W Four wooden legs Side Chair

**Description**

Side chairs. Shell in polypropylene, with seat upholstered or fully upholstered. Four legs in solid oak.

Dimensions

POLA LIGHT R/4W - D 58 W 43 H 80 SH 46

Stackability

No

Frame

4W Four wooden legs, in solid oak wood.
Steel metal frame support 5mm with four metal inserts, powdercoated.

Shell/Top


Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Upholstery

FU fully upholstered on the shell.
SU seat upholstered on an additional plywood panel.
Foam density 65CM kg/m³ Elast high density.
Thickness 12mm, flame retardant BS 5852.
Öko-tex certificate.

Gliders

Standard high density polyethylene NAPL, suitable for hard floor or carpet and contract use.
Optional felt gliders NAFE for wooden floors.

Shell Colours


PWH White



PRL Light Grey



PGY Dark Grey



PBK Black



PAZ Azure



PGR Green



PRL Light Red

Frame Colours

71 Oak natural



74 Oak walnut



72 Oak black

Model

POLA ROUND

*Version***P/4W Four wooden legs****Armchair****Description**

Armchairs. Shell in polypropylene, with seat upholstered or fully upholstered. Four legs in solid oak.

Dimensions

POLA ROUND P/4W - D 58 W 57 H 80 SH

Stackability

No

Frame

4W Four wooden legs, in solid oak wood.

Steel metal frame support 5mm with four metal inserts, powdercoated.

Footrest in steel chromed.

Shell/Top

Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Armrest

Armrests integrated in the shell.

Upholstery

FU fully upholstered on the shell.

SU seat upholstered on an additional plywood panel.

Foam density 65CM kg/m³ Elast high density.


Thickness 12mm, flame retardant BS 5852.

Öko-tex certificate.

Gliders

Standard high density polyethylene NAPL, suitable for hard floor or carpet and contract use.

Optional felt gliders NAFE for wooden floors.

Shell Colours


PWH White



PRL Light Grey



PGY Dark Grey



PBK Black




PGR Green



PRL Light Red

Frame Colours

71 Oak natural



74 Oak walnut



72 Oak black

Model

POLA LIGHT

Version

65-73-82/4W Four wooden legs

Stool



materials

Frame

Base in powdercoated high resilient steel
Legs in solid oak wood
Natural or stained
Footrest is powdercoated steel
HDPE Plastic tilttable gliders

Shell


Shell in coloured polypropylene PP
Colour references
PWH White
PRL Light red
PAZ Azure
PGR Green
PGL Light grey
PGY Grey antracyte
PBK Black

Suitable for heavy contract use

Measures (mm)

Width 430
Depth 520
Seat Height 650-730-820


Shell Colours



PWH White



PRL Light Grey



PGY Dark Grey



PBK Black



PAZ Azure



PGR Green



PRL Light Red

Frame Colours



71 Oak natural



74 Oak walnut



72 Oak black

Model

POLA LIGHT

*Version***65-73-82/4L Four legs****Stacking Stool***materials***Frame**

Base in chromed high resilient steel
or stainless steel AISI316 (SS)
Tube diameter 14x2 mm
For outdoor use (LQ,SS)
Stainless steel footrest for LQ versions
HDPE Plastic tiltable gliders
CH Chromed
LQ Lacquered matching the shell


Shell

Shell in coloured polypropylene PP
Colour references
PWH White
PRL Light red
PAZ Azure
PGR Green
PGL Light grey
PGY Grey antracyte
PBK Black

Stacks 8 on the floor

Measures (mm)


Width 430
Depth 520
Seat Height 650-730-820

Shell Colours

PWH White



PRL Light Grey



PGY Dark Grey



PBK Black




PAZ Azure




PGR Green




PRL Light Red

Frame Colours

V01 White



V03 Dark Grey



V02 Black



CH Chromed



4L Glider



SB Glider

*Model***POLA LIGHT***Version***R/SW Swivel base
Side Chair****Description**

Side chair. Shell in polypropylene, with seat upholstered or fully upholstered. Swivel base height-adjustable on castors in polished die cast aluminium or black reinforced nylon.

Dimensions

POLA LIGHT R/SW - D 65 W 43 H 81/93 SH 46/58

Stackability

No

Frame

SW Swivel base

Adjustable height with gas spring on five castors.

AL Die cast aluminum, polished curves

Shell

Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Upholstery

FU fully upholstered on the shell.

SU seat upholstered on an additional plywood panel.

Foam density 65CM kg/m³ Elast high density.

Thickness 12mm, flame retardant BS 5852.

Öko-tex certificate.

Gliders


Reinforced copolymer soft treads wheels without safety brake.

Shell Colours


PWH White



PRL Light Grey



PGY Dark Grey



PBK Black



PAZ Azure




PGR Green



PRL Light Red

Frame Colours

AL Aluminum



PA Nylon Black

Model

POLA ROUND

Version

P/SW Swivel base Armchair

**Description**

Armchair. Shell in polypropylene, with seat upholstered or fully upholstered. Swivel base height-adjustable on castors in polished die cast aluminium or black reinforced nylon.

Dimensions

POLA ROUND P/SW - D 58 W 57 H 80/92 SH 44/56

Stackability

No

Frame

SW Swivel base

Adjustable height with gas spring on five castors.

AL Die cast aluminum, polished curves

Shell

Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Armrest

Armrests integrated in the shell.

Upholstery

FU fully upholstered on the shell.


SU seat upholstered on an additional plywood panel.

Foam density 65CM kg/m³ Elast high density. Thickness 12mm, flame retardant BS 5852.


Öko-tex certificate.

Gliders

Reinforced copolymer soft treads wheels without safety brake.

Shell Colours


PWH White



PRL Light Grey



PGY Dark Grey



PBK Black




PGR Green



PRL Light Red

Frame Colours

AL Aluminum



PA Nylon Black

*Model***POLA LIGHT***Version***R/PB Swivel base****Side Chair****Description**

Side chairs. Shell in polypropylene, with seat upholstered or fully upholstered. Pedestal base in powdercoated aluminum.

Dimensions

POLA LIGHT R/4W - D 58 W 43 H 80 SH 46

Stackability

No

Frame

PB Pedestal base swivel in die cast aluminium, powdercoated. Available with four wheels.

Shell

Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Upholstery

FU fully upholstered on the shell.

SU seat upholstered on an additional plywood panel.

Foam density 65CM kg/m³ Elast high density.


Thickness 12mm, flame retardant BS 5852.

Öko-tex certificate.

Gliders

Standard high density polyethylene TIPL, suitable for hard floor or carpet and contract use.


Optional reinforced copolymer soft treads wheels without safety brake.

Shell Colours

PWH White



PRL Light Grey



PGY Dark Grey



PBK Black




PAZ Azure



PGR Green



PRL Light Red

Frame Colours

V02 Black

*Model***POLA ROUND***Version***P/PB Swivel base****Armchair****Description**

Side chairs. Shell in polypropylene, with seat upholstered or fully upholstered. Pedestal base in powdercoated aluminum.

Dimensions

POLA ROUND P/PB - D 58 W 57 H 80 SH

Stackability

No

Frame

PB Pedestal base swivel in die cast aluminium, powdercoated. Available with four wheels.

Shell

Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Armrest

Armrests integrated in the shell.

Upholstery

FU fully upholstered on the shell.


SU seat upholstered on an additional plywood panel. Foam density 65CM kg/m³ Elast high density. Thickness 12mm, flame retardant BS 5852.

Öko-tex certificate.

Gliders

Standard high density polyethylene TIPL, suitable for hard floor or carpet and contract use.


Optional reinforced copolymer soft treads wheels without safety brake.

Shell Colours


PWH White



PRL Light Grey



PGY Dark Grey




PBK Black



PGR Green



PRL Light Red

Frame Colours

V02 Black

Model

POLA LIGHT

*Version***R/WP Four wooden legs****Side Chair****Description**

Side chairs. Shell in polypropylene, with seat upholstered or fully upholstered. Swivel wooden pedestal base with legs in solid oak.

Dimensions

POLA LIGHT R/WP - D 58 W 43 H 80 SH 46

Stackability

No

Frame

WP Swivel wooden pedestal with four legs in solid wood.

Shell/Top

Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Upholstery

FU fully upholstered on the shell.

SU seat upholstered on an additional plywood panel.

Foam density 65CM kg/m³ Elast high density.

Thickness 12mm, flame retardant BS 5852.

Öko-tex certificate.

Gliders

Standard high density polyethylene NAPL, suitable for hard floor or carpet and contract use.

Optional felt gliders NAFE for wooden floors.

Shell Colours


PWH White



PRL Light Grey



PGY Dark Grey



PBK Black



PAZ Azure



PGR Green



PRL Light Red

Frame Colours

71 Oak natural



74 Oak walnut



72 Oak black

Model

POLA ROUND

Version

P/WP Four wooden legs Armchair

**Description**

Side chairs. Shell in polypropylene, with seat upholstered or fully upholstered. Swivel wooden pedestal base with legs in solid oak.

Dimensions

POLA ROUND P/WP - D 58 W 57 H 80 SH

Stackability

No

Frame

WP Swivel wooden pedestal with four legs in solid wood.

Shell/Top

Shell in PP copolymer with co-moulded metal inserts M6. Stainless steel A2 screws.

Armrest

Armrests integrated in the shell.

Upholstery

FU fully upholstered on the shell.

SU seat upholstered on an additional plywood panel. Foam density 65CM kg/m³ Elast high density. Thickness 12mm, flame retardant BS 5852.

Öko-tex certificate.

Gliders

Standard high density polyethylene NAPL, suitable for hard floor or carpet and contract use.

Optional felt gliders NAFE for wooden floors.

Shell Colours


PWH White



PRL Light Grey



PGY Dark Grey



PBK Black



PGR Green



PRL Light Red

Frame Colours

71 Oak natural



74 Oak walnut



72 Oak black

Model

POLA LIGHT

*Version***P/SB Sled base****Armchair***materials***Frame**

Base in chromed high resilient steel

Rod diameter 11 mm

Armrest tube diameter 14mm, PVC Cover

For outdoor use (LQ)

PVC Gliders

CH Chromed**LQ** Lacquered matching the shell (on request)**Shell**

Shell in coloured polypropylene PP

Colour references

PWH White

PRL Light red

PAZ Azure

PGR Green

PGL Light grey

PGY Grey antracyte

PBK Black

Stacks 8 on the floor

Measures (mm)


Width 430

Depth 520

Height 810

Arm Height 640


Seat Height 460

Shell Colours


PWH White



PRL Light Grey



PGY Dark Grey



PBK Black




PAZ Azure




PGR Green




PRL Light Red

Frame Colours

V01 White



V03 Dark Grey



V02 Black



CH Chromed



4L Glider



SB Glider

Model

POLA LIGHT

References

Sydney



Tokyo



Model

POLA LIGHT

References

Seoul

