

● – NEW COLOUR

PERMABLOK³
ADVANCED VINYL PROTECTION



238-8020 PEARLESSENCE



238-8032 WEISS



238-1048 SISAL



238-1049 LEINEN



238-1020 IVORY




238-1050 BEIGE



238-0034 TAUPE



238-0033 BUCHE ●




238-0001 PRALINÉ ●



238-0035 TERRACOTTA



238-4002 LAUREL



238-4041 METEOR



238-0020 MOCCA



238-6002 BRONZE



238-9035 SCHWARZ



238-4040 AUSTER



238-4045 PERLE



238-4043 PLATIN ●



238-4052 LICHTGRAU ●



238-4003 GRAPHITE ●

PERMABLOK³ is a proven vinyl protective coating that is engineered to create a tough, effective barrier against germs, abrasion and stains.



Abrasion Resistant



Mildew Resistant



Low Temperature Resistant



Flame Retardant



Impermeability



Easy to Clean



UV Resistant



Chemical Resistant*

*Upon Request

No Master samples (not suitable for colour matching and quality control / testing purposes). Please contact us for further details.

● – NEW COLOUR

PERMABLOK³
ADVANCED VINYL PROTECTION



238-2062 PORT



238-2074 KIRSCHKE



238-2021 PINK




238-2002 BERRY



238-7001 AMETHYST




238-2075 ROT




238-6019 ORANGE



238-6013 MELONE



238-6012 SAFRAN



238-2020 SONNE



238-5057 TÜRKIS



238-5056 JADE



238-5041 APFEL



238-5001 OLIVE




238-5069 GRÜN



238-4042 TITAN



238-3001 LAVENDEL




238-3069 BALTIC



238-3067 DELFT



238-3068 MARINE



238-4020 SILVER



238-6020 GOLD

PERMABLOK³[®]


ADVANCED VINYL PROTECTION

SPRADLING'S 3 IN 1 PROTECTION AGAINST GERMS, ABRASION AND STAINS

PERMABLOK³[®] from Spradling is a proven vinyl protective coating that's engineered to create a tough, effective barrier against the three biggest problems encountered in healthcare and hospitality environments – germs, abrasion and stains. You can't see it or feel it, yet the protection it offers results in extended performance and lasting beauty with a minimum of care.

PERMABLOK³[®] is a registered trademark of Spradling Holdings, Inc.

HOW IT WORKS



CARE AND CLEANING



- The vinyl should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants.
- Any stains, spills, or soiling should be cleaned up promptly to prevent the possibility of permanent staining.
- Use soft, soapy solutions or special cleaning products for vinyl fabrics to remove stains on the surface of the material. Remove only with a damp white cloth.
- Lacquers, strong cleaners, wax polishes, abrasives, detergents, xylene-based solutions, acetone, or MEK cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at the owner's risk.

DOWNLOAD SPRADLING'S CARE & CLEANING GUIDE



TECHNICAL INFORMATION

COMPOSITION:	Topcoat - 100% PVC Backing - 100% Polycotton Hi-Loft™
WEIGHT:	650 g/m ² (nominal)
ROLL WIDTH:	137 cm (nominal)
ROLL LENGTH:	30 m (nominal)
ABRASION RESISTANCE:	Martindale >300,000 cycles
ANTI-FUNGAL:	Mildew Resistant ASTM G-21
ANTI-BACTERIAL:	AATCC Test Method 147
UV RESISTANCE:	1000 hours, blue wool scale
FINISH:	PERMABLOK ³ [®] ADVANCED VINYL PROTECTION
FLAME RETARDANCY*:	BS / EN / DIN 1021 Parts 1 & 2 BS5852 Part 2 (CRIB5) DIN 4102 B2 NF P 92-503 / M2 IMO A.652 (16) Annex 1, 8.2 and 8.3 FAR 25/853 FMVSS 302 EN 71-2: 2006+Al: 2007 Safety of Toys - Part 2: Flammability Directive 95/28/CE

* This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behaviour of this or any other material under actual fire conditions.

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colours. This phenomenon is increased by humidity and temperature and is irreversible. CTP Textiles Ltd, SPRADLING International GmbH and EURO SPRADLING S.L.U. will not assume responsibility for dye transfer caused by external contaminants and possible permanent staining caused by this phenomenon.

Please check compatibility when using this product in combination with painted or varnished surfaces.

Hi-Loft™ and VALENCIA™ are trademarks of Spradling Holdings, Inc.®

CTP TEXTILES LIMITED

Tel. 0845 4089414 • Fax 0845 4089415

Email: sales@ctptextiles.co.uk

Web: www.ctptextiles.co.uk

CTP
TEXTILES
Covering your creations