

Contact person	Date	Reference	Page
Robert Almqvist Division Built Environment +46 10 516 58 58 robert.almqvist@ri.se	2024-02-13	1244020A	1 (1)

Abstracta AB
Box 75
363 03 LAMMHULT
SWEDEN

Testing of screens for office use

(3 appendices)

Customer:	Abstracta AB
Test object/ID:	Floor screen/Vika 427 x 1540 x 231
Test method:	Möbelfakta requirements specification 2024-01-01 for table-mounted screens EN 1023-2:2000 Office furniture - Screens - Mechanical safety requirements EN 1023-3:2000 Office furniture - Screens - Test methods EN 1023-1:1996: Office furniture - Screens – Dimensions
Test environment:	23 ± 2°C and 50 ± 5% relative humidity
Scope:	Complete test
Date of test:	2024-02-08
Test result:	The tested object passed the test
Reservation:	The test results in this report apply solely to the specimen tested
Measurement uncertainty:	Decision rule according to EN ISO IEC 17025:2018 clause 3.7 No account is taken of measurement uncertainty when reporting numerical results

RISE Research Institutes of Sweden AB Department Building and Real Estate - Technical Wood Assessment

Performed by



Robert Almqvist

Examined by



Bengt-Åke Andersson

Appendices

1. Test result (2 pages)
2. Test object (1 page)
3. Pictures (1 page)

RISE Research Institutes of Sweden AB

Postal address	Office location	Phone / Fax / E-mail
Box 857 501 15 BORÅS SWEDEN	Brinellgatan 4 504 62 Borås SWEDEN	+46 10-516 50 00 +46 33-13 55 02 info@ri.se

This report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.



Accred. No. 1002
Testing
ISO/IEC 17025

Appendix 1

Test result

Abbreviations: N/A = Not applicable
N/T = Not tested

Table 1

	Requirements	Method	Cycles	Load	Results
1.1	Horizontal static force on table mounted screen (100 mm from top edge of screen)	EN 14073-2:2004	10	80 N	N/A
1.2	Functional test Vertical static force on table mounted screen (100 mm from the edge)	EN 14073-2:2004	10	200 N	N/A
1.3	Safety test Vertical static force on table mounted screen (100 mm from the edge)	EN 14073-2:2004	10	300 N	N/A
1.4	Stability for non-load bearing screens Screen displacement 200 mm	EN 1023-3 6.1	1	Max 200 N	Pass
1.5	Stability for load bearing screens Screen displacement 200 mm	EN 1023-3 6.2	1	Max 200 N	N/A
1.6	Dislodgement test for screen mounted components Work surface Other components 100 N	EN 1023-3 6.3	1 1	200 N 100 N	N/A
1.7	Loadbearing screens Load = 2 times the manufacturer's maximum recommended load	EN 1023-3 6.4	1 24h		N/A
1.8	Edges and corners of the screen with which the user comes into contact are rounded and free from burrs. Ends of hollow components are closed or capped. Movable and adjustable parts are so designed that injuries and inadvertent operation are avoided. The manufacturer shall indicate in his instruction manual how to use the screen in combination with add-on elements, as well as the admissible load for each type of screen.	EN 1023-2 3.			Pass

Appendix 1

Table 2

2.	Dimension	EN 1023-1	Classification
2.	Eye contact in the sitting position: Height \leq 1100 mm	2.1	
2.2	No eye contact in the sitting position: Height \geq 1400 mm	2.1	X ¹
2.3	Eye contact in the standing position: Height \leq 1400 mm	2.1	
2.4	No eye contact in the standing position: Height \geq 1800 mm	2.1	

¹ The width of office screens shall be related to the width and depth of worksurfaces and cabinets so that they may be used in combination. The above classification only applies to the height of the unit.

Appendix 2

Test object

Test object/ID: Floor screen/Vika 427 x 1540 x 231

Dimensions ¹

Height: 1540 mm
Width: 427 mm
Thickness /depth: 16/231 mm
Mass: 6.5 kg

Components

Frame/core: Sound-absorbing core covered with “Texfel” acoustic felt
Feet: Metal plate 4 x 180 x 375 mm

Sampling: The test object was selected by the customer
Date of arrival at RISE test laboratory: 2024-02-08
Observed defects before testing: No defects

¹ The dimensions are only intended to unambiguously identify the test object and do not claim to be metrologically accurate

Appendix 3

Pictures



Figure 1



Figure 2



Figure 3

Verifikat

Transaktion 09222115557510712042

Dokument

1244020A Abstracta Golvskärm Vika EN 1023

Huvuddokument

5 sidor

Startades 2024-02-14 16:27:42 CET (+0100) av Robert

Almqvist (RA)

Färdigställt 2024-02-14 16:30:41 CET (+0100)

Signerare

Robert Almqvist (RA)

RISE Research Institutes of Sweden AB

Org. nr 556464-6874

robert.almqvist@ri.se



Signerade 2024-02-14 16:28:39 CET (+0100)

Bengt-Åke Andersson (BA)

RISE Research Institutes of Sweden

Org. nr 556464-6874

bengt-ake.andersson@ri.se



Signerade 2024-02-14 16:30:41 CET (+0100)

Detta verifikat är utfärdat av Scrive. Information i kursiv stil är säkert verifierad av Scrive. Se de dolda bilagorna för mer information/bevis om detta dokument. Använd en PDF-läsare som t ex Adobe Reader som kan visa dolda bilagor för att se bilagorna. Observera att om dokumentet skrivs ut kan inte integriteten i papperskopian bevisas enligt nedan och att en vanlig papperutskrift saknar innehållet i de dolda bilagorna. Den digitala signaturen (elektroniska förseglingen) säkerställer att integriteten av detta dokument, inklusive de dolda bilagorna, kan bevisas matematiskt och oberoende av Scrive. För er bekvämlighet tillhandahåller Scrive även en tjänst för att kontrollera dokumentets integritet automatiskt på: <https://scrive.com/verify>

