

upholstery
vinyl

meubelbekleding
upholstery
tissus d'ameublement
kunstleder
tapicerías
obicia winylowe
revestimentos para mobiliário
ecopelli techniche

7019.01 –
7019.45

furka plus



7019.01



7019.02



7019.03



7019.04



7019.05



7019.06



7019.07



7019.08



7019.09



7019.10



7019.11



7019.12



7019.13



7019.14



7019.15



7019.16



7019.17



7019.18



7019.19



7019.20



7019.21



7019.22



7019.23



7019.24



7019.25



7019.26



7019.27



7019.28




7019.29



7019.30



7019.31



7019.32



7019.33



7019.34



7019.35



7019.36



7019.37



7019.38




7019.39



7019.40



7019.41



7019.42



7019.43



7019.44



7019.45

furka plus
7019.01-7019.45

meubelbekleding
upholstery
tissus d'ameublement
kunstleder
tapicerías
obicia winylowe
revestimentos para mobiliário
ecopelli tecniche



USCG-EU
MRA
0038

vinyl plus
COMMITTED TO
SUSTAINABLE DEVELOPMENT



Bio-Pruf and Bio-Pruf Treated are
trademarks of Rohm and Haas Company

samenstelling / composition / zusammensetzung /
composición / sklad / composição / composizione

vinyl coat on a cotton / polyester backing

breedte / width / largeur / breite / ancho / szerokość /
largura / altezza

± 140 cm / ± 55 inches

gewicht / weight / poids / peso / gramatura / gramagem
backing

± 110 gr/m² / ± 5 oz. lin. yd.

coating

± 690 gr/m² / ± 31 oz. lin. yd.

dikte / thickness / épaisseur / dicke / espesor / grubość /
essessura / spessore

1.1 mm / 0.04 inches

rollengte / roll length / longueur du rouleau / stüçklänge /
longitud del rollo / długość rolki / comprimento do rolo /
lunghezza della bobina

± 20 metre / ± 22 yards

brandwerendheid / flame retardancy / non feu /
schwerenflammbareit / combustión retardada /
odporność ogniowa / resistência ao fogo / resistenza al fuoco
EN 1021-1,2

BS 5852, crib 5

DIN 4102-1, B2

NFP 92503, M2

AM 18

ÖNORM B 3825:

Gruppe 1 Schwerbrennbar

Q1 Schwachqualmend

Tr1 Nicht tropfend

UNI 9175, classe 1 IM (Uno I Emme)

IMO A.652 (16)-1989

CA 117 E

slijtvastheid / abrasion / résistance à l'abrasion / abrieb /
resistencia al desgaste / odporność na ścieranie / desgaste
à abrasão / resistenza all'abrasione — **ISO 12947-1**

martindale > 125.000 rubs

wrijftechtheid / fastness to rubbing / résistance au frottement /
reibechtheit / resistencia al frotamiento / odporność na wycieranie /
resistência à fricção / solidità allo sfregamento — **ISO 105 X12**

wet: 5 / dry: 5 (scale 1-5)

lichtechtheid / light resistance / solidité lumière / lichtechtheit /
insensibilidad a la luz / odporność na działanie światła /
resistência à luz / resistenza alla luce — **ISO 105 B02**

xenotest 7-8 (scale 1-8)

urinebestendigheid / resistance to urine / résistance à l'urine /
resistenz gegen urin / resistencia a la orina / odporność na
mocz / resistência à urina / resistenza all'urina

good

huidvetbestendigheid / resistance to sebum / résistance au sebum /
resistenz gegen hautfett / resistencia a la grasa / odporność
na tłuszcz / resistência à pele / resistenza al sebo cutaneo

good

treksterkte / tensile strength / résistance à la traction /
reiffestigkeit / resistencia a la tensión / odporność na tarcie /
resistência à tensão / resistenza alla trazione — **ISO 1421**

length: 475 N / width: 320 N

knikbestendigheid / flexibility / résistance à la flexion /
knickbeständigkeit / flexibles / odporność na deformację /
flexíveis / resistenza alla flessione — **ISO 5402**

> 20.000

onderhoud / care / entretien / pflege / mantenimiento /
codzienna dbałość o produkt / manutenção / manutenção

www.vescom.com

Vescom offices

Headquarters

Vescom B.V.
t +31 (0)493 315 833
e sales@vescom.com

España

Vescom
t 902 10 69 70
e vescom@vescom.es

Portugal

Vescom Portugal
t +351 261 338 411/2
e portugal@vescom.com

U.S.A.

Vescom America Inc.
t +1 252 431 6200
e usacanada@vescom.com

Benelux

Oniro B.V.
t +31 (0)343 493 890
e info@oniro.nl

France

Vescom France S.a.r.l
t +33 (0)1 39 97 66 13
e france@vescom.com

Scandinavia

Vescom Scandinavia
t +46 515 175 12
e sales@vescom.com

Brasil

Vescom do Brasil
t +55 (0)11 2364 4262
e brasil@vescom.com

Italia

Vescom Fabrics Italia
t +39 (0)2 8982 9306
e fabrics@vescomitalia.it

U.A.E. & Sultanate of Oman

Vescom Dubai
t +971 4 3543078
e dubai@vescom.com

Deutschland

Vescom Deutschland GmbH
t +49 6182 8261 151
e deutschland@vescom.com

Polska

Vescom Polska
t +48 22 646 4246
e polska@vescom.com

UK & ROI

Vescom UK Ltd.
t +44 (0)1295 27 36 44
e uk@vescom.com

VESCOM

Vescom B.V., Deurne, Holland
Made in E.U. © 2011

www.vescom.com

ISO 9001
ISO 14001



MIX
Paper from
responsible sources
FSC® C008041